

THE ANNALS OF APPLIED BIOLOGY

EDITED BY

R. W. MARSH

AND

I. THOMAS

WITH THE ASSISTANCE OF

F. C. BAWDEN J. T. MARTIN

M. J. R. HEALY E. A. PARKIN

D. J. WATSON

VOLUME 48

CAMBRIDGE
AT THE UNIVERSITY PRESS
1960

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York 22, N.Y.

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)*

CONTENTS

No. 1 (MARCH 1960)

| | PAGE |
|---|------|
| 1. Field trials of the effect of aldrin on clubroot of summer cabbage. By A. G. CHANNON and W. G. KEYWORTH | 1 |
| 2. Studies of the biology of <i>Sclerotium cepivorum</i> Berk. IV. Germination of sclerotia. By J. R. COLEY-SMITH. (With Plate 1 and 2 Text-figures) | 8 |
| 3. The incidence of certain seed-borne diseases in commercial seed samples. II. Ergot, <i>Claviceps purpurea</i> (Fr.) Tul., in cereals. By GILLIAN M. MARSHALL | 19 |
| 4. The incidence of certain seed-borne diseases in commercial seed samples. III. <i>Septoria</i> leaf spot, or blight, of celery. By GILLIAN M. MARSHALL | 27 |
| 5. The incidence of certain seed-borne diseases in commercial seed samples. IV. Bunt of wheat, <i>Tilletia caries</i> (DC.) Tul. V. Earcockles of wheat, <i>Anguina tritici</i> (Stein.) Filipjev. By GILLIAN M. MARSHALL | 34 |
| 6. The determination of the reaction of barley varieties to loose smut. By M. M. S. MALIK and C. C. V. BATTS. (With 3 Text-figures) | 39 |
| 7. The coliform bacteria associated with potato black-leg and other soft rots. I. Their pathogenicity in relation to temperature. By D. C. GRAHAM and W. J. DOWSON. (With Plate 2) | 51 |
| 8. The coliform bacteria associated with potato black-leg and other soft rots. II. Biochemical characteristics of low- and high-temperature strains. By D. C. GRAHAM and W. J. DOWSON | 58 |
| 9. Coppicing experiments on the spread and control of cacao swollen-shoot disease in Nigeria. By J. M. THRESH and R. M. LISTER. (With 2 Text-figures) | 65 |
| 10. The use of a multiple-transfer method in plant virus transmission studies—some statistical points arising in the analysis of results. By A. J. GIBBS and J. C. GOWER. (With 2 Text-figures) | 75 |
| 11. The toxicity of zinc sulphate to rainbow trout. By R. LLOYD. (With 5 Text-figures) | 84 |
| 12. The effect on wood-pigeon breeding of systematic nest destruction. By R. K. MURTON. (With 1 Text-figure) | 95 |

| | PAGE |
|--|------|
| 13. Movement of eelworms. VI. The influences of soil type, moisture gradients and host plant roots on the migration of the potato-root eelworm <i>Heterodera rostochiensis</i> Wollenweber. By H. R. WALLACE. (With 12 Text-figures) | 107 |
| 14. The pollination requirement of the field bean (<i>Vicia faba</i>). By I. B. M. RIEDEL and D. A. WORT (née GIBBONS). (With 1 Text-figure) | 121 |
| 15. Topical application of mobile liquids to insects by means of micro-capillary tubes. By P. S. HEWLETT and C. J. LLOYD. (With 3 Text-figures) | 125 |
| 16. Some field habitats of mites of stored food products. By D. A. GRIFFITHS. (With 3 Text-figures) | 134 |
| 17. Field studies on wheat-bulb fly infestations. By F. RAW | 145 |
| 18. <i>Oscinella frit</i> L. in south Wales. The relationship between sowing date, plant development and progress of attack in spring oats. By J. H. FIDLER and D. WEBLEY. (With 6 Text-figures) | 156 |
| 19. The effect of gibberellic acid on leaf area and dry-matter production in Majestic potato. By E. C. HUMPHRIES and S. A. W. FRENCH. (With 5 Text-figures) | 177 |
| Reviews | 189 |

No. 2 (JULY 1960)

| | |
|---|-----|
| Obituary Dr H. F. Barnes. (With portrait) | 205 |
| 1. Effect of cultural treatments on the incidence of <i>Striga hermonthica</i> (Del.) Benth. and yields of sorghum in the Sudan: field experiments 1957/8. By F. T. LAST. (With 7 Text-figures) | 207 |
| 2. The effects of the size, position and maturation period of inflorescences and fruits on abnormal pigmentation in the tomato variety Potentate. By A. J. COOPER. (With 4 Text-figures) | 230 |
| 3. The effect of certain soil treatments on <i>Didymella</i> stem-rot of tomatoes. II. Laboratory investigation. By JUDITH HACK and P. H. WILLIAMS. (With 1 Text-figure) | 236 |
| 4. <i>Didymella</i> stem-rot of outdoor tomatoes. I. Studies on sources of infection and their elimination. By DOROTHY E. KNIGHT (née FISHER) and W. G. KEYWORTH | 245 |
| 5. <i>Didymella</i> stem-rot of outdoor tomatoes. II. Studies on chemical control. By DOROTHY E. KNIGHT (née FISHER) and W. G. KEYWORTH | 259 |

| | |
|--|-----|
| 6. Antifungal action of streptomycin-copper chelate against <i>Phytophthora infestans</i> on tomato (<i>Lycopersicon esculentum</i>). By R. CROSSE, R. McWILLIAM, A. RHODES and A. T. DUNN. (With 1 Text-figure) | 270 |
| 7. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. I. Anthracnose and its chemical control. By D. S. MEREDITH. (With Plate 3) | 279 |
| 8. Field spray trials against wildfire and angular leaf spot of tobacco in Rhodesia. By J. S. COLE | 291 |
| 9. The biological control of the wattle bagworm, <i>Kotochalia junodi</i> (Heyl.), by a virus disease. II. Large-scale experiments. By L. L. J. OSSOWSKI | 299 |
| 10. The use of endrin and other insecticides against lettuce root aphid, <i>Pemphigus bursarius</i> L. By J. A. DUNN | 314 |
| 11. The toxicity of some insecticides to fifth-instar nymphs of the desert locust. By R. D. MACCUAIG. (With 3 Text-figures) | 323 |
| 12. Insecticidal control of paedogenetic cecid larvae in mushroom beds. I. Incorporation of insecticides into compost. By N. W. HUSSEY, I. J. WYATT and J. T. HUGHES. (With 3 Text-figures) | 336 |
| 13. Insecticidal control of paedogenetic cecid larvae in mushroom beds. II. Incorporation of insecticides in the casing layer. By N. W. HUSSEY and I. J. WYATT | 347 |
| 14. Studies on the photolysis of pyrethrum. By G. D. GLYNNE JONES | 352 |
| 15. The effects of temperature and humidity on the rates of development and the mortality of <i>Tribolium confusum</i> Duval (Coleoptera, Tenebrionidae). By R. W. HOWE. (With 7 Text-figures) | 363 |
| 16. Infectivity of aphids bred on virus-infected cauliflower plants. By L. BROADBENT | 377 |
| 17. Aphid behaviour on healthy and on yellows-virus-infected sugar beet. By PETER F. BAKER. (With 1 Text-figure) | 384 |
| 18. Studies upon the copper fungicides. XI. Absorption of soluble copper in relation to stage of leaf growth and to leaf injury. By P. ARMAN and R. L. WAIN. (With 1 Text-figure) | 392 |
| 19. The influence of carbon dioxide on the toxicity of un-ionized ammonia to rainbow trout (<i>Salmo gairdneri</i> Richardson). By R. LLOYD and D. W. M. HERBERT. (With 2 Text-figures) | 399 |

| | PAGE |
|--|------|
| 20. Proceedings of the Association of Applied Biologists: | |
| Economic ornithology. By HARRY V. THOMPSON | 405 |
| The sense of taste in birds. By C. J. DUNCAN. (With 2 Text-figures) | 409 |
| The use of narcotics in catching harmful birds. By R. J. P. THEARLE | 414 |
| The biology and economic importance of the bullfinch. By E. N. WRIGHT and D. D. B. SUMMERS | 415 |
| Population dynamics of the wood-pigeon (<i>Columba p. palumbus</i>) and methods of control. By R. K. MURTON | 419 |
| The bioassay of residues of insecticides in soil. By G. A. WHEATLEY and J. A. HARDMAN | 423 |
| A transmissible disease of cultivated mushrooms ('watery stipe'). By DOREEN G. GANDY | 427 |
| Cecidomyiidae as pests of cultivated mushrooms. By I. J. WYATT | 430 |
| Growth of the potato plant. By M. N. BORAH, R. L. BURT, D. W. R. HEADFORD, F. L. MILTHORPE and ELIZABETH M. SADLER | 433 |
| The bourse shoot as a factor in the growth of apple fruits. By D. L. ABBOTT. (With 2 Text-figures) | 434 |
| Reviews | 439 |
| Report of the Council of the Association of Applied Biologists for the year 1959 | 442 |
| Report of the Honorary Editor for 1959 | 445 |
| Report of the acting Honorary Treasurer for the year ending 31 December 1959 | 445 |
| Balance Sheet | 446 |
| Corrigenda and addenda to list of members of the Association of Applied Biologists | 447 |

NO. 3 (SEPTEMBER 1960)

| | |
|--|-----|
| 1. The role of relation in Applied Biology. By R. V. HARRIS. (With portrait) | 453 |
| 2. The epidemiology of <i>Phytophthora infestans</i> . I. Climate, ecoclimate and the phenology of disease outbreak. By J. M. HIRST and O. J. STEDMAN. (With Plate 4 and 7 Text-figures) | 471 |

| | |
|---|-----|
| 3. The epidemiology of <i>Phytophthora infestans</i> . II. The source of inoculum. By J. M. HIRST and O. J. STEDMAN. (With 13 Text-figures) | 489 |
| 4. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. II. Some factors influencing anthracnose development. By D. S. MEREDITH | 518 |
| 5. Studies in the bacterial diseases of Sudan crops. VI. The production of atypical symptoms by <i>Xanthomonas malvacearum</i> (E.F.Sm.) Dowson and other <i>Xanthomonas</i> spp. By K. A. SABET. (With Plate 5) | 529 |
| 6. Investigation of fire-blight of pear in England. By J. E. CROSSE, MARGERY BENNETT and CONSTANCE M. E. GARRETT. (With Plate 6 and 3 Text-figures) | 541 |
| 7. Comparison of two barley yellow-dwarf viruses in glasshouse and field experiments. By MARION A. WATSON and T. E. MULLIGAN. (With Plate 7 and 3 Text-figures) | 559 |
| 8. The transmission by mites, host-range and properties of ryegrass mosaic virus. By T. E. MULLIGAN. (With Plate 8) | 575 |
| 9. The use of soil insecticides to control potato aphids and virus diseases. By P. E. BURT, L. BROADBENT and G. D. HEATHCOTE. (With 1 Text-figure) | 580 |
| 10. The effects of fungicide-insecticide seed treatments on emergence, growth and yield of irrigated cotton in the Sudan Gezira. By S. A. J. TARR | 591 |
| 11. Experiments on the herbicidal action of 1,1'-ethylene-2,2'-dipyridylium dibromide. By G. C. MEES. (With 6 Text-figures) | 601 |
| 12. Metabolism of plant growth regulators. I. 2,4-Dichlorophenoxyacetic acid in leaves of red and of black currant. By L. C. LUCKWILL and C. P. LLOYD-JONES. (With Plate 9 and 3 Text-figures) | 613 |
| 13. Metabolism of plant growth regulators. II. Decarboxylation of 2,4-dichlorophenoxyacetic acid in leaves of apple and strawberry. By L. C. LUCKWILL and C. P. LLOYD-JONES. (With Plate 10 and 5 Text-figures) | 626 |
| 14. An analysis of competition between barley and white persicaria. II. Factors determining the course of competition. By D. ASPINALL. (With 7 Text-figures) | 637 |
| 15. Observations on the effects of the parasitic nematodes <i>Ditylenchus myceliophagus</i> , <i>Aphelenchoides composticola</i> and <i>Paraphelenchus myceliophthorus</i> on the growth and cropping of mushrooms. By J. B. GOODEY. (With 22 Text-figures) | 655 |

No. 4 (DECEMBER 1960)

| | PAGE |
|--|------|
| 1. Laboratory errors associated with the estimation of the population density of <i>Heterodera</i> species in soil. By F. MORIARTY. (With 4 Text-figures) | 665 |
| 2. Field experiments on cereal root eelworm. By L. E. W. STONE | 681 |
| 3. Experiments on the airtight storage of damp grain. I. Introduction, effect on the grain and the intergranular atmosphere. By MARY B. HYDE and T. A. OXLEY. (With 7 Text-figures) | 687 |
| 4. The manner of transmission of some barley yellow-dwarf viruses by different aphid species. By MARION A. WATSON and T. MULLIGAN | 711 |
| 5. Sugar-beet yellows: further studies on viruses and virus strains and their distribution in East Anglia, 1958-59. By G. E. RUSSELL | 721 |
| 6. Factors affecting the spread of aphid-borne viruses in potato in eastern Scotland. III. Effects of planting date, roguing and age of crop on the spread of potato leaf-roll and Y viruses. By C. H. CADMAN and J. CHAMBERS | 729 |
| 7. An attempt to inhibit the multiplication of tobacco mosaic virus in tissue culture by its antiserum. By K. A. MICZYNSKI | 739 |
| 8. Red clover mottle virus. By R. C. SINHA. (With Plate 11) | 742 |
| 9. Some effects of temperature and of virus inhibitors on infection of French-bean leaves by red clover mottle virus. By R. C. SINHA | 749 |
| 10. The effect of certain predators on the numbers of cabbage root fly (<i>Erioischia brassicae</i> (Bouché)) and on the subsequent damage caused by the pest. By D. W. WRIGHT, R. D. HUGHES and J. WORRALL. (With Plate 12 and 4 Text-figures) | 765 |
| 11. Varietal resistance of lettuce to attack by the lettuce root aphid, <i>Pemphigus bursarius</i> L. By J. A. DUNN. (With Plate 13) | 764 |
| 12. Studies on the importance of wild beet as a source of pathogens for the sugar-beet crop. By A. J. GIBBS. (With 3 Text-figures) | 771 |
| 13. The relation between infestation by the stalk borer, <i>Busseola fusca</i> , and yield of maize in East Africa. By P. T. WALKER. (With 3 Text-figures) | 780 |
| 14. The action of copper in antifouling paints. By D. J. CRISP and A. P. AUSTIN. (With 5 Text-figures) | 787 |
| 15. The influence of growth stage on the response of red clover (<i>Trifolium pratense</i> L.) to gibberellic acid. By J. L. STODDART. (With Plate 14 and 1 Text-figure) | 800 |

| | |
|--|-----|
| 16. Breaking the rest period in black currants with gibberellic acid and low temperature. By IRENA MODLIBOWSKA. (With Plate 15) | 811 |
| 17. Brown root rot of tomatoes. III. The bacterial flora of the rhizosphere. By M. H. EBBEN. (With 2 Text-figures) | 817 |
| 18. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. III. Control with sodium salicylanilide ('Shirlan WS') and nystatin. By D. S. MEREDITH. (With Plate 16) | 824 |
| 19. Pyrethrum cultivation in England, 1925-37. By J. T. MARTIN | 837 |
| Reviews | 847 |

INDEX OF AUTHORS

| | PAGE |
|--|--------|
| ABBOTT, D. L. The bourse shoot as a factor in the growth of apple fruits. (With 2 Text-figures) | 434 |
| ARMAN, P. and WAIN, R. L. Studies upon the copper fungicides. XI. Absorption of soluble copper in relation to stage of leaf growth and to leaf injury. (With 1 Text-figure) | 392 |
| ASPINALL, D. An analysis of competition between barley and white persicaria. II. Factors determining the course of competition. (With 7 Text-figures) | 637 |
| AUSTIN, A. P. See CRISP, D. J. | 787 |
| BAKER, PETER F. Aphid behaviour upon healthy and on yellows-virus-infected sugar beet. (With 1 Text-figure) | 384 |
| BATTS, C. C. V. See MALIK, M. M. S. | 39 |
| BENNETT, MARGERY. See CROSSE, J. E. <i>et al.</i> | 541 |
| BORAH, M. N., BURT, R. L., HEADFORD, D. W. R., MILTHORPE, F. L. and SADLER, ELIZABETH M. Growth of the potato plant | 433 |
| BROADBENT, L. Obituary: Dr H. F. Barnes | 205 |
| BROADBENT, L. Infectivity of aphids bred on virus-infected cauliflower plants | 377 |
| BROADBENT, L. See BURT, P. E. <i>et al.</i> | 580 |
| BURT, P. E., BROADBENT, L. and HEATHCOTE, G. D. The use of soil insecticides to control potato aphids and virus diseases. (With 1 Text-figure) | 580 |
| BURT, R. L. See BORAH, M. N. <i>et al.</i> | 433 |
| CADMAN, C. H. and CHAMBERS, J. Factors affecting the spread of aphid-borne viruses in potato in eastern Scotland. III. Effects of planting date, roguing and age of crop on the spread of potato leaf-roll and Y viruses | 729 |
| CHAMBERS, J. See CADMAN, C. H. | 729 |
| CHANNON, A. G. and KEYWORTH, W. G. Field trials of the effect of aldrin on clubroot of summer cabbage | I |
| COLE, J. S. Field spray trials against wildfire and angular leaf spot of tobacco in Rhodesia. | 291 |
| COLEY-SMITH, J. R. Studies of the biology of <i>Sclerotium cepivorum</i> Berk. IV. Germination of sclerotia. (With Plate 1 and 2 Text-figures) | 8 |
| COOPER, A. J. The effects of the size, position and maturation period of inflorescences and fruits on abnormal pigmentation in the tomato variety Potentate. (With 4 Text-figures) | 230 |
| CRISP, D. J. and AUSTIN, A. P. The action of copper in anti-fouling paints. (With 5 Text-figures) | 787 |
| CROSSE, J. E., BENNETT, MARGERY and GARRETT, CONSTANCE M. E. Investigation of fire-blight of pear in England. (With Plate 6 and 3 Text-figures) | 541 |
| CROSSE, R., MCWILLIAM, R., RHODES, A. and DUNN, A. T. Antifungal action of streptomycin-copper chelate against <i>Phytophthora infestans</i> on tomato (<i>Lycopersicon esculentum</i>). (With 1 Text-figure) | 270 |
| DOWSON, W. J. See GRAHAM, D. C. | 51, 58 |
| DUNCAN, C. J. The sense of taste in birds. (With 2 Text-figures) | 409 |
| DUNN, A. T. See CROSSE, R. <i>et al.</i> | 270 |
| DUNN, J. A. The use of endrin and other insecticides against lettuce root aphid, <i>Pemphigus bursarius</i> L. | 314 |
| DUNN, J. A. Varietal resistance of lettuce to attack by the lettuce root aphid, <i>Pemphigus bursarius</i> L. (With Plate 13) | 764 |

| | |
|--|-----|
| EBBEN, M. H. Brown root rot of tomatoes. III. The bacterial flora of the rhizosphere. (With 2 Text-figures) | 817 |
| FIDLER, J. H. and WEBLEY, D. <i>Oscinella frit</i> L. in South Wales. The relationship between sowing date, plant development and progress of attack in spring oats. (With 6 Text-figures) | 156 |
| FISHER, DOROTHY E. See KNIGHT, DOROTHY E. | 245 |
| FRENCH, S. A. W. See HUMPHRIES, E. C. | 177 |
| GANDY, DOREEN G. A transmissible disease of cultivated mushrooms ('watery stipe') | 427 |
| GARRETT, CONSTANCE M. E. See CROSSE, J. E. et al. | 541 |
| GIBBONS, D. A. See WORT, D. A. | 121 |
| GIBBS, A. J. Studies on the importance of wild beet as a source of pathogens for the sugar-beet crop. (With 3 Text-figures) | 771 |
| GIBBS, A. J. and GOWER, J. C. The use of a multiple-transfer method in plant virus transmission studies—some statistical points arising in the analysis of results. (With 2 Text-figures) | 75 |
| GOODEY, J. B. Observations on the effects of the parasitic nematodes <i>Ditylenchus myceliophagus</i> , <i>Aphelenchoides composticola</i> and <i>Paraphelenchus myceliophthorus</i> on the growth and cropping of mushrooms. (With 22 Text-figures) | 655 |
| GOWER, J. C. See GIBBS, A. J. | 75 |
| GRAHAM, D. C. and DOWSON, W. J. The coliform bacteria associated with potato black-leg and other soft rots. I. Their pathogenicity in relation to temperature. (With Plate 2) | 51 |
| GRAHAM, D. C. and DOWSON, W. J. The coliform bacteria associated with potato black-leg and other soft rots. II. Biochemical characteristics of low- and high-temperature strains | 58 |
| GRIFFITHS, D. A. Some field habitats of mites of stored food products. (With 3 Text-figures) | 134 |
| HACK, JUDITH and WILLIAMS, P. H. The effect of certain soil treatments on <i>Didymella</i> stem-rot of tomatoes. II. Laboratory investigations. (With 1 Text-figure) | 236 |
| HARDMAN, J. A. See WHEATLEY, J. A. | 423 |
| HARRIS, R. V. The role of relation in Applied Biology. (Presidential Address.) (With portrait) | 453 |
| HEADFORD, W. R. See BORAH, M. N. et al. | 433 |
| HEATHCOTE, G. D. See BURT, P. E. et al. | 580 |
| HERBERT, D. W. M. See LLOYD, R. | 399 |
| HEWLETT, P. S. and LLOYD, C. J. Topical application of mobile liquids to insects by means of micro-capillary tubes. (With 3 Text-figures) | 125 |
| HIRST, J. M. and STEDMAN, O. J. The epidemiology of <i>Phytophthora infestans</i> . I. Climate, ecoclimate and the phenology of disease outbreak. (With Plate 4 and 7 Text-figures) | 471 |
| HIRST, J. M. and STEDMAN, O. J. The epidemiology of <i>Phytophthora infestans</i> . II. The source of inoculum. (With 13 Text-figures) | 489 |
| HOWE, R. W. The effects of temperature and humidity on the rates of development and the mortality of <i>Tribolium confusum</i> Duval (Coleoptera, Tenebrionidae). (With 7 Text-figures) | 363 |
| HUGHES, J. T. See HUSSEY, N. W. et al. | 336 |
| HUGHES, R. D. See WRIGHT, D. W. et al. | 756 |
| HUMPHRIES, E. C. and FRENCH, S. A. W. The effect of gibberellic acid on leaf area and dry-matter production in Majestic potato. (With 5 Text-figures) | 177 |
| HUSSEY, N. W., WYATT, I. J. and HUGHES, J. T. Insecticidal control of paedogenetic cecid larvae in mushroom beds. I. Incorporation of insecticides into compost. (With 3 Text-figures) | 336 |
| HUSSEY, N. W. and WYATT, I. J. Insecticidal control of paedogenetic cecid larvae in mushroom beds. II. Incorporation of insecticides in the casing layer | 347 |

| | PAGE |
|--|----------|
| HYDE, MARY B. and OXLEY, T. A. Experiments on the airtight storage of damp grain. I. Introduction, effect on the grain and the intergranular atmosphere. (With 7 Text-figures) | 687 |
| JONES, G. D. GLYNNE. Studies on the photolysis of pyrethrum | 352 |
| KEYWORTH, W. G. See CHANNON, A. G. | 1 |
| KEYWORTH, W. G. See KNIGHT, DOROTHY E. | 245, 259 |
| KNIGHT, DOROTHY E. and KEYWORTH, W. G. <i>Didymella</i> stem-rot of outdoor tomatoes. I. Studies on sources of infection and their elimination | 245 |
| KNIGHT, DOROTHY E. and KEYWORTH, W. G. <i>Didymella</i> stem-rot of outdoor tomatoes. II. Studies on chemical control | 259 |
| LAST, F. T. Effect of cultural treatments on the incidence of <i>Striga hermonthica</i> (Del.) Benth. and yields of sorghum in the Sudan: field experiments 1957/8. (With 7 Text-figures) | 207 |
| LISTER, R. M. See THRESH, J. M. | 65 |
| LLOYD, C. J. See HEWLETT, P. S. | 125 |
| LLOYD, R. The toxicity of zinc sulphate to rainbow trout. (With 5 Text-figures) | 84 |
| LLOYD, R. and HERBERT, D. W. M. The influence of carbon dioxide on the toxicity of unionized ammonia to rainbow trout (<i>Salmo gairdnerii</i> Richardson). (With 2 Text-figures) | 399 |
| LLOYD-JONES, C. P. See LUCKWILL, L. C. | 613, 626 |
| LUCKWILL, L. C. and LLOYD-JONES, C. P. Metabolism of plant growth regulators. I. 2,4-Dichlorophenoxyacetic acid in leaves of red and of black currant. (With Plate 9 and 3 Text-figures) | 613 |
| LUCKWILL, L. C. and LLOYD-JONES, C. P. Metabolism of plant growth regulators. II. Decarboxylation of 2,4-dichlorophenoxyacetic acid in leaves of apple and strawberry. (With Plate 10 and 5 Text-figures) | 626 |
| MACCUAIG, R. D. The toxicity of some insecticides to fifth-instar nymphs of the desert locust. (With 3 Text-figures) | 323 |
| MCWILLIAM, R. See CROSSE, R. <i>et al.</i> | 270 |
| MALIK, M. M. S. and BATTS, C. C. V. The determination of the reaction of barley varieties to loose smut. (With 3 Text-figures) | 39 |
| MARSHALL, GILLIAN M. The incidence of certain seed-borne diseases in commercial seed samples. II. Ergot, <i>Claviceps purpurea</i> (Fr.) Tul., in cereals | 19 |
| MARSHALL, GILLIAN M. The incidence of certain seed-borne diseases in commercial seed samples. III. <i>Septoria</i> leaf spot, or blight, of celery | 27 |
| MARSHALL, GILLIAN M. The incidence of certain seed-borne diseases in commercial seed samples. IV. Bunt of wheat, <i>Tilletia caries</i> (DC) Tul. V. Earcockles of wheat, <i>Anguina tritici</i> (Stein.) Filipjev | 34 |
| MARTIN, J. T. Pyrethrum cultivation in England, 1925-37 | 837 |
| MEES, G. C. Experiments on the herbicidal action of 1,1'-ethylene-2-2'-dipyridylum dibromide. (With 6 Text-figures) | 601 |
| MEREDITH, D. S. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. I. Anthracnose and its chemical control. (With Plate 3) | 279 |
| MEREDITH, D. S. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. II. Some factors influencing anthracnose development | 518 |
| MEREDITH, D. S. Studies on <i>Gloeosporium musarum</i> Cke. & Massee causing storage rots of Jamaican bananas. III. Control with sodium salicylanilide ('Shirlan WS') and nystatin (With Plate 16) | 824 |
| MICZYNSKI, K. A. An attempt to inhibit the multiplication of tobacco mosaic virus in tissue culture by its antiserum | 739 |

| | PAGE |
|---|----------|
| MILTHORPE, F. L. <i>See</i> BORAH, M. N. | 433 |
| MODLIBOWSKA, IRENA. Breaking the rest period in black currants with gibberellic acid and low temperature. (With Plate 15) | 811 |
| MORIARTY, F. Evaluation of the population density of <i>Heterodera</i> in soil. (With 1 Text-figure) | 665 |
| MULLIGAN, T. E. The transmission by mites, host-range and properties of ryegrass mosaic virus. (With Plate 8) | 575 |
| MULLIGAN, T. E. <i>See</i> WATSON, MARION A. | 559, 711 |
| MURTON, R. K. The effect on wood-pigeon breeding of systematic nest destruction. (With 1 Text-figure) | 95 |
| MURTON, R. K. Population dynamics of the wood-pigeon (<i>Columba p. palumbus</i>) and methods of control | 419 |
| OSSOWSKI, L. L. J. The biological control of the wattle bagworm, <i>Kotochalia junodi</i> (Heyl.), by a virus disease. II. Large-scale experiments | 299 |
| OXLEY, T. A. <i>See</i> HYDE, MARY B. | 687 |
| RAW, F. Field studies on wheat-bulb fly infestations | 145 |
| RHODES, A. <i>See</i> CROSSE, R. <i>et al.</i> | 270 |
| RIEDEL, I. B. M. and WORT, D. A. The pollination requirement of the field bean (<i>Vicia faba</i>). (With 1 Text-figure) | 121 |
| RUSSELL, G. E. Sugar-beet viruses: further studies on viruses and virus strains and their distribution in East Anglia, 1958-59 | 721 |
| SABET, K. A. Studies in the bacterial diseases of Sudan crops. VI. The production of atypical symptoms of <i>Xanthomonas malvacearum</i> (E.F.Sm.) Dowson and other <i>Xanthomonas</i> spp. (With Plate 5) | 529 |
| SADLER, ELIZABETH M. <i>See</i> BORAH, M. N. <i>et al.</i> | 433 |
| SINHA, R. C. Red clover mottle virus. (With Plate 11) | 742 |
| SINHA, R. C. Some effects of temperature and of virus inhibitors on infection of French-bean leaves by red clover mottle virus | 749 |
| STEDMAN, O. J. <i>See</i> HIRST, J. M. | 471, 489 |
| STODDART, J. L. The influence of growth stage on the response of red clover (<i>Trifolium pratense</i> L.) to gibberellic acid. (With Plate 14 and 1 Text-figure) | 800 |
| STONE, L. E. W. Field experiments on cereal root eelworm | 681 |
| SUMMERS, D. D. B. <i>See</i> WRIGHT, E. N. | 415 |
| TARR, S. A. J. The effects of fungicide-insecticide seed treatments on emergence, growth and yield of irrigated cotton in the Sudan Gezira | 591 |
| THEARLE, R. J. P. The use of narcotics in catching harmful birds | 414 |
| THOMPSON, HARRY V. Economic ornithology | 405 |
| THRESH, J. M. and LISTER, R. M. Coppicing experiments on the spread and control of cacao swollen-shoot disease in Nigeria. (With 2 Text-figures) | 65 |
| WAIN, R. L. <i>See</i> ARMAN, P. | 392 |
| WALKER, P. T. The relation between infestation by the stalk borer, <i>Busseola fusca</i> , and yield of maize in East Africa. (With 3 Text-figures) | 780 |
| WALLACE, H. R. Movement of eelworms. VI. The influences of soil type, moisture gradients and host plant roots on the migration of the potato-root eelworm <i>Heterodera rostochiensis</i> Wollenweber. (With 12 Text-figures) | 107 |
| WATSON, MARION A. and MULLIGAN, T. E. Comparison of two barley yellow-dwarf viruses in glasshouse and field experiments. (With Plate 7 and 3 Text-figures) | 559 |

| | PAGE |
|---|------|
| WATSON, MARION A. and MULLIGAN, T. E. The manner of transmission of some barley yellow-dwarf viruses by different aphid species | 711 |
| WEBLEY, D. <i>See</i> FIDLER, J. H. | 156 |
| WHEATLEY, G. A. and HARDMAN, J. A. The bioassay of residues of insecticides in soil | 423 |
| WILLIAMS, P. H. <i>See</i> HACK, JUDITH | 236 |
| WORRALL, J. <i>See</i> WRIGHT, D. W. <i>et al.</i> | 756 |
| WORT, D. A. <i>See</i> RIEDEL, I. B. M. | 121 |
| WRIGHT, D. W., HUGHES, R. D. and WORRALL, J. The effect of certain predators on the numbers of cabbage root fly (<i>Erioischia brassicae</i> Bouché) and on the subsequent damage caused by the pest. (With Plate 12 and 4 Text-figures) | 756 |
| WRIGHT, E. N. and SUMMERS, D. D. B. The biology and economic importance of the bullfinch | 415 |
| WYATT, I. J. Cecidomyiidae as pests of cultivated mushrooms | 430 |
| WYATT, I. J. <i>See</i> HUSSEY, N. W. <i>et al.</i> | 336 |
| WYATT, I. J. <i>See</i> HUSSEY, N. W. | 347 |